ZIRCO-BLAST

SDN. BHD.

(Co. No. 505255-V)

Lot 4703, Kawasan MIEL, Batang Kali, 44300 SELANGOR DE , MALAYSIA.

TEL: 603-60579691, 60579692

Material Safety Data Sheet

1. Product Identification		
Identification of Product Manufacturer Chemical Name Chemical Family	- - -	Nylon Shots Abrasive Supply Co. Inc., Nylon Polyamide – Nylon 6
2. Composition / Ingredients		
Ingredients / CAS registry No.	-	>98.00 % Polyamide CAS registry No: 25038-54-4
	-	<1.00 % Caprolactum CAS registry No: 105-60-2
	-	<1.00 % Pigments Various
3. Hazardous Identification		
PEL	-	No PEL has been established for this product as usage is within confined blasting
TLV	-	chamber. No TLV has been established for any component of this product. Prolonged exposure may cause skin and eye irritation. As product is intended to be used within a confined blasting chamber, prolonged exposure is unlikely.
Hazard Classes	-	Non Regulated
4. First aid measures		
After Inhalation After skin contact After eye contact After Ingestion	- - -	Remove to fresh air. Rinse with running water and soap. Immediately flush eyes with running water for 10 minutes and see physician. Seek medical attention immediately.
5. Fire Fighting measures		
Breathing Apparatus.	-	Material is self extinguishing when removed from source of ignition. Fire fighters should wear self contained breathing apparatus. If exposed to fire please follow the below procedures.
Suitable extinguishing media Extinguishing media which must not be used for safety reasons	-	Foam, extinguishing powder, carbon dioxide, water. High pressure water jet.
Special exposure hazards from resulting gases	-	None known.
Unusual Fire Hazards	-	Airborne dust of any nature could form explosive mixture with air. Maintain good housekeeping for control of dust.
6. Accidental release measures		
Personal precautions Environmental precautions Method of cleaning up / removing	- -	Avoid contact with eyes and skin. Do not allow to flow into drainage system. Sweep up and place into plastic bags or containers.
7. Handling and storage		

Handling-No special measures required.Storage-Store in a dry place and keep material tightly sealed.

8. Exposure control .

Information on the system design. Ventilation	-	No special measures required. Locate exhaust where necessary to maintain exposure level to OSHA permissible limits.
9. Personal Protection.		
Personal protection Respiratory Protection	-	Wear suitable protective gloves and protective goggles. The need for respiratory protection should be determined By an industrial Hygiene evaluation.

|--|

Physical status / Appearance Colour Odor Flash point Ignition Temperature Vapor Pressure (mm of HG) Vapor Density Solubility in water Specific Gravity Boiling point Melting point Freezing Point Evaporation Rate	-	Solid, Cubicle Red Nil. Nil 450 Deg. C Not Applicable Not Applicable 1.14 Nil 215 Deg C Not Applicable Not Applicable
11. Stability and reactivity		
Stability Conditions to avoid Materials to avoid Hazardous decomposition products	- - -	Stable None known None if used for its intended purpose. None.
12. Toxicological information		
Ingestion Skin contact Eye contact	- - -	Moderately toxic after ingestion. Overexposure may cause irritation. Overexposure may cause irritation.
13. Ecological information		
Persistence and degradability Aquatic toxicity	-	Material is not biodegradable as it is. As disposal is after conversion to dust during its intended use, it is approved for land fill. If dust is contaminated with other toxic waste during use, approval from local authorities are needed. Non toxic. Do not release into water.
14. Disposal Information		
Method	-	Land fill. As disposal is after conversion to dust during its intended use, it is approved for land fill. If dust is contaminated with other toxic waste during use, approval from local authorities are needed
15. Transport Information		
Special Requirement	-	Not a hazardous material. Not subjected to any regulations.

16. Special Precautions

N<u>one.</u>

-

Prepared by:	
Name:	S. Mathialagan
Title:	General Manger
Revision no:	5
Date Reviewed:	02 nd February 2014